### **COVID-19 INFO**

#### **COCHRANE TEMISKAMING RESOURCE CENTRE**

To: From: All Staff

Subject:

Daniel Roy
Updates - Covid-19

Date:

March 23, 2022

### "WASH YOUR HANDS, PHYSICALLY DISTANCE, STAY SAFE" PLEASE CONTINUE WEARING YOUR MASK & SHIELD



WEAR A MASK



STAY 6 FEET APART



AVOID CROWDS



The CTRC Management Team and the Porcupine Health Unit continue to work on the pandemic response.

## RAPID ANATIGEN TESTING Staying but changing further

- ✓ Staff diagnosed with Covid-19 are not required to do RAT testing until 90 days have passed since the date of their initial diagnosis.
- ✓ The distribution of the April and May supplies for Rapid Antigen Testing will reflect this. Please seek from HR testing kits once you are 90 days beyond your Covid-19 initial diagnosis date.
- ✓ The Ontario Health Science table and the Ministry are making the following changes to the Rapid Antigen Testing procedure.
  - a) Swab the back of the throat FIRST and the nasal cavities SECOND when completing a rapid antigen test.
  - b) Complete the other steps of the test as per the remaining instructions.

### ISOLATION (from Work) IF YOU OR A FAMILY MEMBER HAS COVID-19

- ✓ Staff working in Residential Settings and at CSS must not come to work for 10 days if they or a member of their immediate household has a diagnosis of Covid-19.
- ✓ Professional Resource Team Staff and Administrative Staff should contact their Manager/Director for guidance if they or a household member has Covid-19. Public Health Rules allow the possibility to return to work without isolation. Be prepared to provide details of your vaccination status, planned one-on-one client appointments and presenting symptoms.

### MASKS & EYE PROTECTION REMAIN IN ISOLATION AND OUTBREAK HOMES

# MASKS REMAIN IN ALL OTHER HOMES BUT EYE PROTECTION CAN BE DROPPED EFFECTIVE IMMEDIATELY.

Respectfully,

Daniel Roy, Human Resources Director

HRPA Member

Cc Cindy McQuarrie, OPSEU Regional Representative Lisa DeRosario, OPSEU L664 Chief Steward The Board of Governors